



seriline

IDENTITY AND ACCESS MANAGEMENT

PRODUCT CATALOG





ABOUT US

Seriline was founded in 1990 and is a Swedish-owned company with a focus on identity and access management. By combining the latest technology with many years of experience, Seriline offers proprietary software, online solutions, hardware and services that simplify the flow to creating user-friendly processes for confidentiality and integrity management of identities.

– IDENTITY AND ACCESS MANAGEMENT (IAM)

“ AN IDENTITY COULD FOR INSTANCE BE, A PERSON, A CHIP, A CARD, OR A DIGITAL KEY - ALL OF WHICH REQUIRE THE SAME SECURE CARE, PRECISION AND SECURITY IN THEIR HANDLING. ”

INDEX

Visitor management system - Visitor	4-5
Ordering portal - Serix Online	6-7
Identity and access management - Serix IAM	8-9
Card reader Cidron	10-11
PhotoID systems	12-15
Terminals	16-17
Plastic cards and services	18-19
Keyfobs and services	20
Other RFID products	21
GDPR Custom Camera Surveillance Signs	21
REX buttons	22
Card holders	23
Plastic pockets, yoyos and clips	24-25
Lanyards	26
Plastic card printer Magicard with accessories	27-29
Plastic card printer FARGO with accessories	30-31
Encoders and readers	32-34
Terms and contact information	35

VISITOR MANAGEMENT SYSTEM

Visitor - An automated visitor management system for all your needs

Visitor is an easy and efficient visitor management system that helps you to register and administer your visitors. It is a visitor management system appropriate for companies and organizations of all sizes where there is a need for a reliable system for controlling who visits the premises. Our visitor management system is user-friendly and can easily be adapted to the requirements of the customer.

Our software can be installed in large networks with your receptions as well as on an independent computer in a reception.

Visitor gives a professional impression and increases safety as you have control over the visitors visiting your facilities. It is a complete visitor management system, managing everything from visit registration, to printouts of visitor badges, parking permits, and even evacuation lists.



How does it work?



1. Meeting invitation

The recipient creates a calendar invitation in Outlook. The visitor receives a welcome email / SMS with information prior to the visit with the associated QR code.



2. Shortly before the visit...

The visitor receives a reminder SMS / email with the associated QR code.



3. Check-in

Then the visitor checks into the Self-service terminal with the QR code included in the SMS invitation. Alternatively, the QR code is scanned in a QR reader.



4. Automatic notification

When the visitor checks in, the recipient of the visit is notified by an SMS or e-mail. A visitor badge is automatically printed at the same time as the visitor is added to the evacuation list.



5. Check out

The visitor checks out by scanning the QR code on your visitor tag. In the event of no check-out, the visitor will be deleted at 12 AM/PM the same night. The visitor badge is returned in our lockable GDPR mailbox.



Book a demo!

Packaged visitor management systems

To make it easy to get started with your visitor management software, we have put together some appropriate packages. The package consists of both software, hardware and consumption items.



PACKAGE VISITOR ENTRY

With this package you have everything you need to get started.

Included

- » Software Visitor Reception
- » Label printer
- » QR scanner
- » 1pcs labels on a roll (500pcs/rl)
- » 100 pcs Plastic pockets
- » 100 pcs Crocodile clip on strip



PACKAGE VISITOR PREMIUM

For those wanting to set up an unmanned reception, while offering their visitors a self-check-in option.

Included

- » Software Visitor Reception
- » Software Visitor Guest
- » Label printer
- » QR scanner
- » 1pcs labels on a roll (500pcs/rl)
- » 100 pcs Plastic pockets
- » 100 pcs Crocodile clip on strip



PACKAGE VISITOR ENTERPRISE

Fully equipped package with all three parts, which gives the possibility of web-based pre-registration of visitors as well as self-registration.

Included

- » Software Visitor Reception
- » Software Visitor Guest
- » Software Visitor Web
- » Label printer
- » QR scanner
- » 1pcs labels on a roll (500pcs/rl)
- » 100 pcs Plastic pockets
- » 100 pcs Crocodile clip on strip

Integrations in Visitor

Integration in Office 365

Through our integration with Office 365, you can easily pre-book your meetings directly in Outlook and invite the participants in one place.

SSG Integration in SSG

This is a requested and much appreciated feature that facilitates the check-in and ensures that all security aspects are met by checking valid training and information about contractors in SSG's database.

RCO Integration in RCO

With this plug-in, Visitor can be integrated with the access system RCO, which provides the ability to automatically retrieve recipients from the database in RCO. This results in less administration and enables the allocation of permissions directly in the access control system, for visitors and contractors, via a PIN code or any identity carrier. It is also possible to obtain a joint evacuation list from both RCO and Visitor of checked-in employees and visitors.

ARX Integration in ASSA ARX

ARX is a security system with alarms and access control that controls various functions in a property. The system controls and ensures that, for example, burglar alarms, door locks and automatic doors, fire alarms interact. With Visitor's integration in ASSA ARX, it is possible to retrieve visitor recipients from ARX and also to give visitors or contractors authorization in ARX via a pin code or RFID card / tag.

Your customized ordering portal for all your needs

Serix Online offers a simple and secure way to order, among other things, PhotoID cards, camera stickers and accessories. The solution is just as good for your own company as for a retailer who wants to be able to offer their own customers a unique interface for ordering products.

You can follow the process from order to delivery. There is also the option of having the order require approval by a designated person before it is processed for production. For customers who want to integrate their own systems, there is a modern interface that provides all the features of the web portal. Serix Online has proven to be a success as we now have over 30 000 companies using the service to place their orders.



Choose from our standard layouts or create your own design according to your graphic profile. If you need a special encoding or interpretation for your cards, we can easily solve that as well!

“ WE HAVE OVER 1000 ARTICLES IN STOCK AND DELIVER IN LESS THAN 2 DAYS. CREATE YOUR ACCOUNT TODAY! ”



SCAN ME



With the possibility of login with BankID!



Order a sample card for free!



Ordering portal
Web and smartphone



Carrier
A carrier is used as an address carrier and as a receipt when distributing cards.



Authorization
Add an extra level of control before production, and the ability to change, add or delete information before approval.



PIN letter
Personally addressed PIN letters with a PIN code, automatically generated when placing an order.



Automatically included articles
Automatically attach selected articles to your orders.



Reporting
Receive reports regarding status, validity, chip numbers etc, via email, file export or API.



Number series
Global management of number series for encoding cards and keyfobs.



Email notification
Regularly receive notification about which cards are about to expire.



Priority orders
Gives you priority in the production queue.



Location of production
Card orders can be routed to the desired production location.

One platform for all identity and access management

For people, credentials, authorizations and asset management.

Serix IAM is a powerful tool for managing a person's Identity, Credentials and Access levels in multiple systems. By retrieving personal data from a reliable source, an HR system or a personnel system for instance, and linking them to other systems, an access control system for instance, printing solutions ensure that all systems are always up to date. Being able to administrate assets such as computers, mobile phones, and other devices related to the employment will give the system owner full control. In addition, there are several tools to help people within the organization to be able to self-administer tasks around their person, such as in a self-service station or user portal.

HIGH SECURITY

- High IT security requirements, in line with banks' IT security requirements (PCI DSS)
- BankID, SAML2 etc. for verification and login
- GDPR compliant

USER FRIENDLY


- One interface for all systems
- Intuitive and simple user interface
- Correct user authorization for the right person
- Simple application and approval process for authorization management

LOW LIFE CYCLE COST

- Minimizes administration costs
- Possibility to delegate the administration at e.g. vacancies
- Can be delivered in a "hosted" environment or on-prem

FLEXIBILITY

- System-independent platform
- Web-based solution for remote access
- Module-based system that can be expanded with new features if needed



Superadmin
System owner with full overview of all systems and sites.



Reception
Issues digital keys, handles library cards and belongings.



Admin
Certifies applications for eligibility to chosen areas.



Identities
• Active Directory
• HR systems
• Manually



Local admin
Manages employees and permissions.



Manager
Orders cards and permissions for their employees.



Credentials
• Mobile keys
• Keyfobs
• Access cards, PKI



System integration

- Access control system
- Secure printing
- Lunch charge
- Time accounting



Processes

- Automated permissions
- GDPR management
- Access applications
- Life cycle management





Secure access control with CIDRON

The CIDRON reader family offers compatibility with secure RFID technologies incorporated with a robust and timeless design, which makes them ideally suited for both indoor- and outdoor installations in all kinds of physical access control applications.

CIDRON is a software-based reader that supports the most common RFID technologies in the market today, for example MIFARE®, DESFire®, iCLASS®, EM, BLE, NFC or PROX technologies. The reader can easily be configured with a configuration card and supports communication protocols such as Wiegand and OSDP Secure Channel.

CIDRON can easily be adapted to all different reading technologies, communication protocols, combinations and customized settings. The same reader regardless of system and needs, can it be easier?



Secure Access Module

The CIDRON reader features a contact card socket which is designed to read Secure Access Module's (SAM's) embedded on a SIM-card sized contact chip.



IP65

CIDRON is an IP65 classified reader that has an operating temperature of -40° - +70°C



Why Choose CIDRON?

With the CIDRON platform, the door environment is future-proofed with standardized technologies and communication protocols, regardless of the control system. In addition, we offer the market's widest range of accessories for a neat and user-friendly mounting.

Mobile ID solutions are offered in various products, usually proprietary. With CIDRON, we offer an open platform with the opportunity to integrate into different solutions and suppliers. We believe that freedom of choice is important.

Do you want to use QR codes in your access control system?

CIDRON is one of the market's best, most secure, and flexible card readers. Now even better with opportunities for QR code reading. Made to meet the needs of today and tomorrow.

Curious about how it works?

Check out our demo video!



PHOTOID SYSTEMS



Produce your own ID cards

We offer complete solutions for creating professional company cards. Our systems are used by companies, municipalities and organizations for production of ID and authorization cards. The cards can be printed with your own equipment, card printers for standardized plastic cards, or sent online for central production. For our PhotoID systems you can add our camera package which contains a high-quality digital camera for photography. The camera package also includes a camera tripod as an aid in portrait photography as well as an adapter for a power supply and a USB extension cable for the camera. In order to be able to take professional photos without shadows and with the right lighting, we offer a complete lighting package.




Stylish design and elegant finish with unlimited design possibilities

A card printer prints the personal information in full color print on a plastic card. The format and materials are the same as for a credit card. The plastic cards allow all types of encoding, such as RFID and magstripe.



High quality, high safety

The information on the card is protected by a laminate with a security relief embossed on the card surface. You decide the content and graphic design. Both portrait and landscape layouts can be selected.



The picture shows the software **ID Express**, which is an affordable and complete card manufacturing software.

Learn more about our different softwares on the following pages.

Software for the production of own PhotoID cards

We offer easy-to-use software to help you keep track of the content and the designs of your cards. All our software are designed based on many years of experience in card manufacturing.

For our software, all types of card printers, cameras and encoders can be used. Magstripe encoding is included as standard, as is the handling of barcodes and RFID chips such as EM and Mifare. A layout editor is built into the software to offer simple design customization of layouts and more.

Use your own equipment

If you already have your own equipment, you can supplement with our software.

ID Enterprise

This is our flagship for efficient production of ID and authorization cards. The program contains many advanced functions for importing and exporting data, connections to external access control systems, built-in report generator and much more. With the ID Enterprise Plus software, you can easily order your cards from different locations with an online client. The online client sends encrypted card orders - either via Internet, or your intranet to your card production. ID Enterprise Plus automatically reads these into the SQL database. The operator checks the orders received and adjusts the image quality if necessary. The cards will then be produced with one click.

ID Express

Our best-selling ID software is an affordable and complete software for card production. Advanced photo management features, card layouts and prints on various types of printers. ID Express combines the card information with the appropriate layout for printing professional ID or authorization cards. All information is saved in encrypted card files for maximum security. Magstripe and barcode encoders are included as a standard. The search and editing function is fast and efficient. A simple, easy-to-use software that we have delivered and improved upon since the late 1990s.



Company photo

The picture of you and your employees is important, which is why we have a network of professional portrait photographers who guarantee a good portrait and image, no matter where in the country you are photographed.

First impression!

Meeting the visitor with professional portraits and group photos of employees and management, offers a positive first impression of your company or organization.

Bring everyone!

It shows that everyone is equally valuable and creates a great team spirit.

The images are value-creating and multifaceted

The images can be used for access cards / ID cards, websites, intranets, business cards, give-aways and more. We also have partners who can provide planning boards, orientation boards and room signs, which make it easy for both our own employees and the visitor to find the person they are looking for in an office, shop or other workplace.



ID EXPRESS - - PLASTIC CARD

Everything you need to get started with making your own PhotoID and access cards.

Contains

- » Software ID Express
- » Plastic card printer
- » Webcam
- » 200pcs plastic cards
- » Color foil



ID ENTERPRISE - PLASTIC CARD RFID

Everything you need to get started with making your own contactless Photo ID and access cards.

Contains

- » Software ID Enterprise
- » Plastic card printer
- » Digital camera
- » Color foil
- » Transfer film

Packaged PhotoID systems

We offer complete solutions for creating professional company cards. Our packages for PhotoID systems contain everything you need in order for you to easily get started with making your own ID cards.

Select package as needed.

TERMINALS

A terminal is the electronic hardware device used for entering and presenting data. It usually consists of a keyboard and a monitor. With us, you will find everything from a self-registration terminal to different types of photo stations in several sizes and designs. Below you see some examples of our terminals. They come in different designs and are the obvious complement when you create your reception environment. The terminal can be used for self-registration where the visitor registers himself on arrival, or why not for a photo shoot when you have to take photos of all your staff in a simple and flexible way.

Service station

Our Service station is the ultimate unit for self-service and has its given place for the administration of all types of person cards, for example corporate ID or student ID.

The service station is the ultimate unit for self-service and has its own designated place for the administration of all types of personal IDs, for example, corporate ID or student ID. The station can be furnished with several hardware alternatives to adapt to your needs. The design is very robust and is developed for daily use in a public environment, such as, in schools or universities. It is also equipped with several communication interfaces and is usually connected to the Internet or Intranet. This makes it possible to also use the station as a terminal or information booth.

Name	Art. No.
Servicestation	70030



Self-service terminal

On arrival, the visitor shows the QR code to a reader (directly on his mobile telephone) and is automatically checked in while the visiting etiquette is printed and the visitor attendant gets a notification via SMS and/or email. In this way, the reception staff and the pre-booked visitors can register themselves manually on arrival. We have developed a solution to meet the demand of the market around self-service services and it has been a mega-hit. For us, much like our customers, it is about working towards cost saving alternatives, with even higher security levels.

Obviously, the terminal can also be used for self-registration for the visitors who are not preregistered.

Name	Art. No.
Self-service terminal - White	70034
Self-service terminal - Black	70035



SITHS Express

The SITHS Express photo station is an all-in-one solution where, thanks to the compact format, the photo station can be easily moved between different rooms or locations. Seriline offers a simple and portable photo station that can advantageously be placed in a temporary room in a care facility, for photographing the staff, for a limited time. The station can be placed on a table or hung on a wall with an external card reader connected to the station. The SITHS Express photo station has built-in lighting to be able to take professional photos.

The station can be used for both re-ordering or renewal of existing cards. When re-ordering, the user is allowed to fill in his / her own information, while at renewal the user can use his existing card for identification. Checking for a blocked list can be done automatically if the station has Internet access, or against a manually saved list on the station. Photo Station Express can be used completely independently as all information can be stored on the local computer. Alternatively, it can be connected to a network and the information can then be stored at any location where the station has access. As the customer often has requirements for computers to be connected to the network, the customer can provide a computer himself if desired.

Name	Art. No.
SITHS Express	70048



Terminal Mini

Terminal Mini consists of a 20" screen with conventional TFT. The terminal has a very robust design and is specially developed for daily use in public environments. The terminal's stylistically pure design helps it to blend into the environment.

You can also choose addons such as QR scanner, etiquette printer, accessories and accompanying shelves for these at the time of order. Choose between white/silver or black/silver powder polish.



Name	Art. No.
Terminal Mini Standard with keyboard - White/Silver	70050
Terminal Mini Standard with keyboard - Black/Silver	70051
Terminal Mini with touch screen - White/Silver	70052
Terminal Mini with touch screen - Black/Silver	70053
Terminal Mini with touch screen + keyboard - White/Silver	70054
Terminal Mini with touch screen + keyboard - Black/Silver	70055

Terminal Adjustable

An adjustable terminal consists of a 20" screen with conventional TFT. The terminal has a very robust design and is specially developed for daily use in public environments.

You can also choose add-ons such as QR scanner, etiquette printer, accessories and accompanying shelves for these at the time of order. Choose between white/silver or black/silver powder polish.



Name	Art. No.
Terminal Adjustable with keyboard - White/Silver	70064
Terminal Adjustable with keyboard - Black/Silver	70065
Terminal Adjustable with touch screen - White/Silver	70066
Terminal Adjustable with touch screen - Black/Silver	70067
Terminal Adjustable with touch screen + keyboard - White/Silver	70068
Terminal Adjustable with touch screen + keyboard - Black/Silver	70069

Terminal Floor

An adjustable terminal consists of a 20" screen with conventional TFT. The terminal has a very robust design and is specially developed for daily use in public environments. The terminal's stylistically pure design helps it to blend into the environment.

You can also choose addons such as QR scanner, etiquette printer, accessories and accompanying shelves for these at the time of order. Choose between white/silver or black/silver powder polish.



Name	Art. No.
Terminal Floor with keyboard - White/Silver	70056
Terminal Floor with keyboard - Black/Silver	70057
Terminal Floor with touch screen - White/Silver	70058
Terminal Floor with touch screen - Black/Silver	70059
Terminal Floor with touch screen + keyboard - White/Silver	70062
Terminal Floor with touch screen + keyboard - Black/Silver	70063

CREDENTIALS

Plastic cards

We offer a complete range of plastic cards that can be used in a variety of access control systems. There are plastic cards that are only a white piece of plastic in CR80 format without technology and magnetic strip or it can contain one or more non-contact technologies (RFID) and can be used in different types of access control systems. The latter is also called a smart card and contains one or more chips.

If you can not find what you are looking for or if you are unsure of the type of card you need, contact us and we will help you!

PLASTIC CARD WITHOUT MAGSTRIPE

This card is the simplest variant without technology. It is a standard card that works to write on in a plastic card printer. Often used at various events that do not require an access function.



Name	Art. No.
Plastic card white neutral	3210

PLASTIC CARD WITH MAGSTRIPE

Plastic card in CR80 format with magnetic strip HiCo that can be coded on three different tracks.



Name	Art. No.
Plastic card, HiCo magstripe	3200
Plastic card 0,45mm (thin), HiCo	3202
Plastic card Ultralight Hico	3205

PLASTIC CARD WITH CONTACT CHIP PKI

Plastic card in PVC with a contact chip which can be used to log in to computers.



Name	Art. No.
Plastic card IDPrime MD830 EM + Mifare 4K, Hico	3263
Plastic card MD830 + Mifare DESFire EV2 4K	3271

Non-contact plastic cards (RFID)

PLASTIC CARD WITH EM 4200

Plastic card RFID with the frequency 125 kHz is one of the most common technologies in Sweden. The latest version of EM is called 4200 and is the version of our standard range. EM 4200 is backward-compatible to EM 4102.



Name	Art. No.
Plastic card EM 4200	3220
Plastic card EM 4200, HiCo	3221

An EM chip can be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema, Vaka, Paxton and Solid/Arx (cost will be added art. no. 4311). A set-up fee will be added per production occasion, art. no. 1800.

PLASTIC CARD WITH ATMEL 5577

The chip on this plastic card is empty from the beginning and can therefore be emulated as an EM chip that is available in numerical order.

Name	Art. No.
Plastic card with ATMEL 5577	3222
Plastic card with ATMEL 5577, HiCo	3223

PLASTIC CARD WITH MIFARE

Non-contact card with Mifare operating in the frequency range 13.56 MHz. The chip can be encrypted and store different amounts of data depending on the chip's memory capacity. The technology is "Read and Write", which means that you can both read and code information on the chip.



Name	Art. No.
Plastic card Mifare 1K	3230
Plastic card Mifare 1K, HiCo	3231
Plastic card Mifare 1K, HiCo x2	3255
Plastic card Mifare 4K	3232
Plastic card Mifare 4K, HiCo	3233
Plastic card Mifare Ultralight, HiCo	3239
Plastic card PET-G Mifare 13.56 MHz, HiCo	3285

The Mifare chip's unique ID number (UID) can be interpreted hexadecimal or decimal and for RCO (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

PLASTIC CARD WITH MIFARE DESFIRE

Mifare DESFire is a very secure and flexible card with many uses. The card complies with ISO / IEC14443A and is based on a global standard for both RF interfaces and encryption methods, e.g. AES 128. DESFire can handle up to 28 different applications with 32 files per application. The size of the files is determined when they are created. The card can be moderated to follow ISO / IEC 7816-4 commands.



Name	Art. No.
Plastic card Mifare DESFire EV1 4K	3235
Plastic card Mifare DESFire EV1 4K, HiCo	3236
Plastic card Mifare DESFire EV1 8K, HiCo	3237
Plastic card Mifare DESFire EV2 2K	3245
Plastic card Mifare DESFire EV2 4K	3244
Plastic card Mifare DESFire EV2 4K, HiCo	3243
Plastic card Mifare DESFire EV2 8K, HiCo	3277

The DESFire chips' unique ID number (UID) can be interpreted hexadecimal or decimal and for RCO (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

PLASTIC CARD WITH EM + MIFARE

One card for several systems. This is a combination card with EM and Mifare in one and the same card, which makes it easier for you who need access to several passage systems or other applications.



Name	Art. No.
Plastic card EM 4200 + Mifare 1K	3241
Plastic card EM 4200 + Mifare 1K, HiCo	3240
Plastic card EM4200 + Mifare 4K	3252
Plastic card EM 4200 + Mifare 4K, HiCo	3246
Plastic card EM 4200 + Mifare 4K 7 byte, HiCo	3247

An EM chip can be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema, Vaka, Paxton and Solid/Arx (cost will be added art. no. 4311). The Mifare chip's unique ID number (UID) can be interpreted hexadecimal or decimal and for RCO (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

PLASTIC CARD WITH MIFARE + ATMEL 5577

One card for several systems. This is a combi card with Mifare and ATMEL 5577 in one and the same card, which makes it easier for you who need access to more passage systems. The ATMEL chip on this plastic card is empty from the beginning and can therefore be emulated as an EM chip that is available in numerical order.



Name	Art. No.
Plastic card Mifare 1K + ATMEL 5577	3250
Plastic card Mifare 1K + ATMEL 5577, HiCo	3251
Plastic card ATMEL 5577 + Mifare 4K, HiCo	3224

ATMEL-chip kan emuleras till EM and läsas ut för Bewator (Entro and 2010), RCO, Aptus, Axema, Vaka, Paxton and Solid/Arx (cost will be added art. no. 4314). The Mifare chip's unique ID number (UID) can be interpreted hexadecimal or decimal and for RCO (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

PLASTIC CARD WITH EM 4200 + MIFARE DESFIRE

One card for several systems. This is a combi card with EM and Mifare DESFire in one and the same card, which makes it easier for you who need access to more passage systems. This card is common when migrating to a more secure technology.



Name	Art. No.
Plastic card EM4200 + Mifare DESFire EV1, 4K, HiCo	3242
Plastic card EM4200 + Mifare DESFire EV2 4K	3249
Plastic card EM4200 + Mifare DESFire EV2 4K, HiCo	3248

An EM chip can be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema, Vaka, Paxton and Solid/Arx (cost will be added art. no. 4311). The DESFire chips' unique ID number (UID) can be interpreted hexadecimal or decimal and for RCO (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

PLASTIC CARD WITH ATMEL 5577 + MIFARE DESFIRE

One card for several systems. This is a combi card with Mifare and ATMEL 5577 in one and the same card, which makes it easier for you who need access to more passage systems. The ATMEL chip on this plastic card is empty from the beginning and can therefore be emulated as an EM chip that is available in numerical order. This card is common when migrating to a more secure technology.



Name	Art. No.
Plastic card ATMEL 5577 + Mifare DESfire EV2 4K	3265

An ATMEL chip can be emulated to EM and be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema, Vaka, Paxton and Solid/Arx (cost will be added art. no. 4314). The DESFire chips' unique ID number (UID) can be interpreted hexadecimal or decimal and for RCO (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

Services for Plastic cards

PRINTING AND PERSONALIZATION

Name	Art. No.
Set-up fee for personalized services	1800
Set-up fee ID Cards (One time cost)	1900
Original/Repro, price per hour (min. debiting 1h)	2000

Name	Art. No.
One-color printing, front	1810
One-color printing, back	1813
One-color printing, front and backside	1811
Full color printing, front	1820
Full color printing, back	1823
Full color printing, front with one-color printing on the backside	1821
Full color printing, front and backside	1822
Security printing on plastic card	1825
Hidden barcode printing	1855
Barcode in series 1 + 0	1850
Interpretation EM incl. printing	4311
Interpretation Mifare incl. printing	4310
Interpretation EM +Mifare incl. printing	4312
Interpretation to Excel	4379
Magstripe encoding HiCo incl. printing	1860
Encoding Mifare sector	1720
Encoding Mifare DESfire	4313
Encoding ATMEL chip	4314
Laminating of plastic card	1861
Perforation	1880

Order a printed a plastic card according to your graphic profile
Contact us to learn more!



Keyfobs

Keyfobs are designed to fit the keychain and are often made of plastic. It is an electronic key, also called credential, which contains an RFID chip and can be ordered as a combi tag (more than one chip in the same tag) and can therefore be used in several access control systems. Our fantastic production can both interpret and encode a chip as desired. Follow your company's graphic profile with your own logo printed in full color or laser engraved.

If there is a specific product you are missing, do not hesitate to contact us, we are happy to help you!

KEYFOB TOP-TAG

Our bestseller Top-Tag with its stylish design is optimized for laser engraving. This is a very enduring and durable keyfob, despite its thickness of only 2.7mm. This keyfob is available with several different RFID chip but also as a combi tag. Available in nine different colors.



Material: ABS plastic
Size: 45 x 33 mm (LxW)

Name	Art. No.
Keyfob Top-tag EM 4200	410x
Keyfob Top-tag Mifare 1K	411x
Keyfob Top-tag Mifare 4K	412x
Keyfob Top-tag Mifare DESFire EV1 4K	415x
Keyfob Top-tag Mifare DESFire EV2 4K	418x
Keyfob Top-tag EM 4200 + Mifare 1K	413x
Keyfob Top-tag EM 4200 + Mifare 4K	416x
Keyfob Top-tag ATMEL 5577 + Mifare 1K	414x
Keyfob Top-tag EM 4200 + Mifare DESFire	417x

Available in 9 colors.
A EM chip can be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema (Axbase and Vaka), Paxton and Solid/Arx (cost will be added art. no.4311). An ATMEL chip can be emulated to EM and be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema (Axbase and Vaka), Vaka, Paxton and Solid/Arx (cost will be added art. no. 4314). The Mifare chips' serial number (UID) can be interpreted hexadecimal or decimal and for Arx, RCO, Axema Vaka, CDVI, Paxton and ESMI (art. no. 4310 will be added). The DESFire chips' unique serial number (UID) can be interpreted hexadecimal or decimal (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

KEYFOB S-TAG

S-tag is a popular keyfob which is ideally suited for laser engraving and printing. This keyfob is available with several different RFID chip but also as a combi tag. Available in seven different colors.



Material: ABS plastic
Size: 35 x 37 x 64mm

Name	Art. No.
Keyfob S-tag EM 4200	400x
Keyfob S-tag Mifare 1K	401x
Keyfob S-tag Mifare 4K	406x
Keyfob S-tag EM 4200 + Mifare 1K	403x
Keyfob S-tag ATMEL 5577	407x
Name	Art. No.
Keyfob S-tag Mifare 1K SALTO	402x
Keyfob S-tag EM 4200 + Mifare 1K SALTO	404x

Available in 7 colors.
A EM chip can be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema (Axbase and Vaka), Paxton and Solid/Arx (cost will be added art. no.4311). An ATMEL chip can be emulated to EM and be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema (Axbase and Vaka), Vaka, Paxton and Solid/Arx (cost will be added art. no. 4314). The Mifare chips' serial number (nUID) can be interpreted hexadecimal or decimal and for Arx, RCO, Axema Vaka, CDVI, Paxton and ESMI (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

KEYFOB S-TAG DOME

With our S-tag Dome, you get the opportunity to combine our popular keyfob S-tag with a full color printed logo in a slightly different way. The printable dome decal are 20 mm in diameter with a selectable base color. You can also add laser engraving of the chip numbers or serial numbers on the backside.



Name	Art. No.
Keyfob S-Tag Dome EM 4200	405x
Keyfob S-Tag Dome Mifare 1K	408x
Keyfob S-Tag Dome EM 4200 + Mifare 1K	409x

Available in 7 colors.
A EM chip can be interpreted for Bewator (Entro and 2010), RCO, Aptus, Axema (Axbase and Vaka), Paxton and Solid/Arx (cost will be added art. no.4311). The Mifare chips' serial number (nUID) can be interpreted hexadecimal or decimal and for Arx, RCO, Axema Vaka, CDVI, Paxton and ESMI (art. no. 4310 will be added). A set-up fee will be added per production occasion, art. no. 1800.

Services for keyfobs

Name	Art. No.
Set-up fee for personalized services	1800
Original/Repro, price per hour (min. deb. 1h)	2000
Instant Print Moulding charge fee incl. start-fee	5226
Instant Printing 6+0	1870
Engraving of logo	4301
Engraving of serial number	4302
Interpretation EM incl. engraving	4311
Interpretation Mifare incl. engraving	4310
Interpretation EM +Mifare incl. engraving	4312
Interpretation to Excel	4379
Encoding Mifare sector	1720
Encoding Mifare DESfire	4313
Encoding ATMEL chip	4314
Delivery on a thread in numerical order	70013
Packaging two by two in a labeled bag	4380
Re-reporting	4381



Profile your company with your laser engraved logo

Contact us to learn more!

OTHER RFID PRODUCTS

SILICONE WRISTBAND WITH RFID

The silicone wristband can withstand wet conditions and is suitable in environments such as swimming pools, pool areas, saunas, spas or other entertainment events. The bracelet is available in different sizes, in two colors and with an EM or a Mifare chip.



Name	Art. No.
Silicone wristband with EM 4200 - 152mm, Blue	4231
Silicone wristband with EM 4200 - 152mm, Black	4236
Silicone wristband with EM 4200 - 180mm, Blue	4241
Silicone wristband with EM 4200 - 180mm, Black	4246
Silicone wristband with EM 4200 - 195mm, Blue	4251
Silicone wristband with EM 4200 - 195mm, Black	4256
Silicone wristband with Mifare 1K - 152mm, Blue	4201
Silicone wristband with Mifare 1K - 152mm, Black	4206
Silicone wristband with Mifare 1K - 180mm, Blue	4211
Silicone wristband with Mifare 1K - 180mm, Black	4216
Silicone wristband with Mifare 1K - 195mm, Blue	4221
Silicone wristband with Mifare 1K - 195mm, Black	4226
Silicone wristband with DESfire EV1, 2K - 180mm, Blue	4271
Silicone wristband with DESfire EV2, 4K - 185mm, Black	4276

LABELS - SELF-ADHESIVE

Transparent label with RFID-chip. For example it can be attached to a card, mobile phone or the back of your watch.



Name	Art. No.
Label EM4200, 18 mm - Self-adhesive	4519
Label EM4200, 30 mm - Self-adhesive	4510
Label Mifare 1K, 30 mm - Self-adhesive	4511
Label Mifare 1K, 40x25 mm - Self-adhesive + anti metal	4515
Label Mifare 1K, 44x22 mm - Self-adhesive	4516
Label Mifare 1K, 18 mm - Self-adhesive	4517
Label Mifare 4K DESFire EV2, 18 mm (ilock) - Self-adhesive	4518

WATCH LAKS

Watch with built-in RFID function. Bracelets available in leather alternatively stainless steel and with EM or Mifare chip.



Name	Art. No.
Watch LAKS Mifare 1K - Stainless steel	4262
Watch LAKS Mifare 1K - Black leather	4266
Watch LAKS Mifare 1K - White leather	4268

GDPR CUSTOM CAMERA SURVEILLANCE SIGNS



More and more public places, shops and premises in the community are equipped with camera surveillance. The fact that a location has video surveillance equipment must be informed by means of a clear sign that surveillance takes place.

Higher requirement to inform

The requirements to inform are more extensive than before. If you have camera surveillance, you must put up signs or inform about the surveillance in some way. The information should now include information about:

- Who the camera monitor is
- The purpose of the camera surveillance
- Specify whether camera surveillance is done with or without audio recording
- Contact information for you



REX BUTTONS

REX buttons with any motif or logo in full color or laser engraved

We offer several different REX buttons in our range consisting of WaveX, a REX button that opens the door without touch, Scoria Touch and the well-known brands; Eljo and ELKO. We can adapt all REX buttons with laser engraving or full color printing both to clarify the function of the button, but also to strengthen your brand.

REX BUTTON WAVEX

Non-contact REX button with infrared sensor. Can be customized with your logo, in full color print or laser engraved.



wavex

Name	Art. No.
REX button Wavex, Standard	7460
REX button Wavex, Slimline	7461
REX button Wavex, Standard - Stainless steel	7466
REX button Wavex, Slimline - Stainless steel	7467

A set-up fee will be added per production occasion, art. no. 1800

REX BUTTON SCORIA TOUCH

Scoria Touch is a REX button that works partly as an independent REX button (stand alone) in direct collaboration or as connected to an access control system. It is designed for high-frequency use as well as harsh and vandal-prone environments. Scoria Touch is activated by a light touch in combination with the user's static electricity.



Available in seven different colors.

Name	Art. No.
REX button Scoria Touch, surface mount - Blue	7561
REX button Scoria Touch, surface mount - Grey	7562
REX button Scoria Touch, surface mount - Green	7563
REX button Scoria Touch, surface mount - Red	7565
REX button Scoria Touch, surface mount - Black	7566
REX button Scoria Touch, surface mount - White	7567
REX button Scoria Touch, surface mount - Silver	7569

A set-up fee will be added per production occasion, art. no. 1800

REX BUTTON ELKO

REX button ELKO with an included laser engraving of a motif or a logo. Supplied with pre-assembled impulse springs. Can also be supplemented with an elevation frame if needed.



Flush mount

Surface mount



Name	Art. No.
REX button ELKO - Surface mount	7440
REX button ELKO - Flush mount	7450
Switcher ELKO	7445
Impulse spring ELKO	7415
Elevation frame ELKO 20 mm	7447

A set-up fee will be added per production occasion, art. no. 1800

REX BUTTON ELJO

REX button ELJO with an included laser engraving of a motif or a logo. Supplied with pre-assembled impulse springs. Can also be supplemented with an elevation frame if needed.



Trend

Quick-Rot



Name	Art. No.
REX button Eljo Trend - Flush Mount	7410
REX button Eljo Quick-Rot - Surface mount	7420
Impulse spring Eljo Trend	7415
Elevation frame Eljo Trend - 18 mm	7411
Elevation frame Eljo Trend - 34 mm	7420

A set-up fee will be added per production occasion, art. no. 1800

REX BUTTON EXXACT

REX button Exxact with an included laser engraving of a motif or a logo. Supplied with pre-assembled impulse springs. Can also be supplemented with an elevation frame if needed.



Name	Art. No.
REX button Exxact	7430
Elevation frame Exxact - 21 mm	7431
Elevation frame Exxact - 25 mm	7433
Elevation frame Exxact - 35 mm	7432
Impulse spring Exxact	7435
Frame Exxact - Basic	7437
Frame Exxact - Primo	7436

A set-up fee will be added per production occasion, art. no. 1800

CARD ACCESSORIES

Card holders

We have a large selection of card holders for all types of plastic and access cards or other types of service cards such as ID06 cards. All of our holders can be supplemented with clips, lanyards or other mounts. Which card holder is best for you depends, among other things, on which industry you work in, what kind of cards you use and how they are used. If there is a specific card holder that you are missing, do not hesitate to contact us. We are happy to help you!

COSTER

This card holder fits all types of ID cards in CR80 format with a functional thumb grip, as well as an elegant and discreet design. The thumb grip is easily removed to make room for an additional card on the back of the card holder.



Name	Art. No.
Card holder Coster, Black	6001

CIRCUM

In damp or dirty environments, our covered card holder fits well. They provide full protection against both dirt and moisture. This card holder is available with both vertical and horizontal ejectors. The horizontal model is also well suited for SIS identification as the launcher hides the social security number.



Name	Art. No.
Card holder Circum, Frosted - Vertical	6061
Card holder Circum, Frosted - Horizontal	6060
Card holder Circum, Frosted, Horizontal double card ejector	6063

EXCELLENT

This card holder fits all types of ID cards in credit card format with functional thumb grip, as well as an elegant and discreet design.



Name	Art. No.
Card holder Excellent	601x
Card holder Excellent with Metalclip - Vertical	644x
Card holder Excellent with plastic clip - Vertical	646x

Available in the colors (x) : Black=0, Blue=1, White=2, Frosted=3, Red=4, Yellow=5, Green=6.

EXTENSIO VERTICAL

Extensio is our card holder for cards with a magstripe. The card can be easily extended when the magstripe is to be read in a card reader. Delivered with plastic clip or with brace clip and mounted yoyo on the back. Also available with extension from the left.



Name	Art. No.
Card holder Extensio with mounted plastic clip	6021
Card holder Extensio with brace clip + yoyo - Right	6023
Card holder Extensio with brace clip + yoyo - Left	6024

EXTENSIO SMART

This card holder is intended for smart cards. The card can be easily ejected when the chip is to be used in the card reader without being removed from the holder. Delivered with a plastic clip or a mounted yoyo on the back.



Name	Art. No.
Card holder Extensio Smart	6030
Card holder Extensio Smart with plastic clip	6031
Card holder Extensio Smart, brace clip + yoyo	6029

EXTENSIO HORIZONTAL

This card holder is intended for cards with a magstripe. The card can be easily extended when the magstripe is to be used in a card reader without being removed from the holder. The card holder is intended for horizontal cards and is delivered with a brace clip and mounted yoyo on the back.



Name	Art. No.
Card holder Extensio with brace clip + yoyo - Horizontal	6022

DUPLEX

Card holder that fits two CR80 cards for portrait or landscape usage.



Name	Art. No.
Card holder Duplex, Black	6050
Card holder Duplex, Frosted	6053

AMPLIUS DUO

The Amplus Duo has two compartments, the front one takes one card that is fully visible and the backside can store up to five cards or an extra thick card. A total thickness of 4mm can be stored in the rear compartment.



Name	Art. No.
Card holder Amplus Duo	604x

Available in the colors: Black, Blue, White, Frosted and Red.

AMPLIUS

The Amplus card holder has two compartments and holds up to five standard cards or a thick card.



Name	Art. No.
Card holder Amplus, Black	6040
Card holder Amplus, Blue	6041

Available in the colors: White, Frosted, Red, Yellow and Green.

Plastic pockets

PLASTIC POCKET STANDARD

Standard is a vertical plastic pocket with a rounded top for cards and labels in a credit card format. The plastic pocket is designed with a thumb grip to easily remove the card. Optional clips are easily attached to the oval hole. This plastic pocket is suitable for visitor cards or temporary cards.



Size: 54 x 86mm

Name	Art. No.
Plastic pocket Standard with a thumb grip, Transparent	6828

PLASTIC POCKET SPECTRUM

Plastic pocket Spectrum is available as both a vertical or horizontal model with full colored back in strong PVC. This plastic pocket is suitable for cards and labels in a credit card format. Optional clips are easily attached to the oval hole.



Outer dimensions (Vertical): 100 x 66 mm (HxW)
Inner dimensions (Vertical): 84 x 58 mm (HxW)

Outer dimensions (Horizontal): 78 x 92 mm (HxW)
Inner dimensions (Horizontal): 58 x 86 mm (HxW)

Name	Art. No.
Plastic pocket Spectrum - Vertical	682x
Plastic pocket Spectrum - Horizontal	681x

Available in the colors (x) : Transparent=0, Blue=1, White=2, Red=4, Yellow=5, Green=6.

PLASTIC POCKET ARTUS

Soft plastic pocket for cards or labels with a credit card format (CR80). Artus is available as both a horizontal or vertical model. Optional clip is easily attached to the oval hole.



Size (Vertical):
89 x 58 mm (HxB)
Size (Horizontal):
58 x 89 mm (HxB)

Name	Art. No.
Plastic pocket Artus - Vertical	684x
Plastic pocket Artus - Horizontal	683x

Available in the colors (x) : Transparent=0, Blue=1, White=2, Red=4, Yellow=5, Green=6

PLASTIC POCKET ARMBAND

Armband with a vertical plastic pocket for a card worn on the upper arm.

Size: 63 x 95mm



Name	Art. No.
Plastic pocket armband - Vertical	6545

Yoyo

YOYO MINI

Our Yoyo Mini is suitable for attaching to a belt, for example. Supplied with a reinforced vinyl strip with metal button that fits all of our card holders and a brace clip in metal on the back of the yoyo.



Diameter: 3,2 cm
Thread length: 76 cm

Name	Art. No.
Yoyo Mini	621x

Available in the colors (x) : Black=0, Blue=1, White=2, Red=4, Yellow=5, Green=6.

YOYO STANDARD

Yoyo Standard is a durable yoyo for frequently used cards. This yoyo is available in different designs and colors.



Thread length: 80 cm
Diameter 45 mm
Material: POM

Name	Art. No.
Yoyo Standard	611x
Yoyo Standard - complete incl. brace clip	613x
Yoyo Standard - complete incl. brace clip and Friction clip	612x

Available in the colors (x) : Black=0, Blue=1, White=2, Red=4, Yellow=5, Green=6.

YOYO PREMIUM

Yoyo Premium has a neat and stylish design and is suitable for e.g. access cards. It can be combined with any of our card holders. The core is frosted in different colors and supplied with a swivel hook and a ID strip or key ring.



Total dimensions: 105 x 35 x 8 mm
Thread length: 76 cm

Name	Art. No.
Yoyo Premium with swivel hook, ID strip and brace clip, Blue transparent	6230
Yoyo Premium with swivel hook, ID strip and brace clip, Black	6232
Yoyo Premium with swivel hook and brace clip, Black	6234
Yoyo Premium with swivel hook and key ring, Black	6235

Yoyo Premium with ID strip also available in the colors: Black-transparent, White, White-transparent, Red-transparent, Yellow-transparent, Dark blue, Orange-transparent and Green-transparent.

Yoyo Premium with key ring also available in the colors: White, White-transparent, Blue-transparent, Red-transparent, Yellow-transparent and Green-transparent.

YOYO METAL

This yoyo has a strong construction to withstand intensive use and is intended for use of several cards and keys. It is black on the front and chromed metal with a strong brace clip in metal on the back.



Material: Steel
Diameter: 40 mm
Thread length: 59 cm
Wire material: Nylon

Name	Art. No.
Yoyo Metal, Black/Chrome	6220
Yoyo Metal, Black/Chrome with brace clip	6221
Yoyo Metal, Chromed with brace clip and key ring	6222

Clips

FRICTION CLIP

Crocodile clip with friction rubber that is pinched directly on the card without damaging it. Can with advantage be hooked into a yoyo.



Name	Art. No.
Friction clip, Metal	6470

GRIPPER

Pushed directly onto the card, the Gripper holds it in place by means of a friction rubber without damaging the card itself.



Name	Art. No.
Gripper for cards without holes	6471

CROCODILE CLIP ON STRIP

Crocodile clip in metal with soft PVC tape, snap buttons in metal. The tape easily pulled through the card holder and button snapped together.



Name	Art. No.
Crocodile clip on strip, Transparent	6430

CROCODILE CLIP ON SPORT HOOK

Crocodile clip attached to a sport hook that is easily attached to card holder or directly to the card.



Name	Art. No.
Crocodile clip on sport hook	641x

Available in the colors (x) : Black=0, Blue=1, White=2, Frosted=3, Red=4, Yellow=5, Green=6.

BRACE CLIP ON SPORT HOOK

Brace clip attached to a sport hook that is easily attached to card holder or directly to the card.



Name	Art. No.
Brace clip on sport hook	642x

Available in the colors (x) : Black=0, Blue=1, White=2, Frosted=3, Red=4, Yellow=5, Green=6.

CROCODILE CLIP IN PLASTIC ON ID STRIP

Crocodile clip in plastic on ID strip in different colors. Used mainly for visitor badges.



Name	Art. No.
Crocodile clip in plastic on ID strip	649x

Available in the colors (x) : Blue=1, White=2, Green=3, Yellow=4, Red=5, Black=6.

BRACE CLIP ON STRIP

Brace clip with reinforced ID strip with buttons in metal. The strip is easily added to a card or card holder and buttoned together.



Name	Art. No.
Brace clip on strip	6431

Lanyards

In many workplaces, it is a requirement to carry your PhotoID card visible. One of the reasons is that everyone should be able to see that the person has the right to stay on the premises. The card is usually worn in a card holder that is either attached to a clip that is pinched directly to your clothes, or hooked into a lanyard. Lanyards with your logo are a great way to spread your business name. Contact us and we will tell you more about profiled products.

LANYARD 20MM

Lanyard for card holder with rotatable hook and safety buckle.



Name	Art. No.
Lanyard, Black - with rotatable hook + safety buckle	658x

Available in the colors (x) : Black=0, Red=4, Green neon=6.

SAFETY LACE

Safety lace in nylon with a rounded safety buckle that is threaded directly through the card holder.



Name	Art. No.
Safety lace, Black	6500

LANYARD 10MM



Lanyard in round woven nylon that is 10mm wide. Available with different mounts and colors. All models are equipped with a flat safety buckle.

Name	Art. No.
1) Lanyard, Black with mobile cord + safety buckle	651x
2) Lanyard, Black with rotatable hook + safety buckle	652x
3) Lanyard, Black with drop shaped hook + safety buckle	653x
4) Lanyard, Black with friction clip + safety buckle	654x
5) Lanyard, Black with crocodile clip + safety buckle	655x
6) Lanyard, Black with key ring + safety buckle	656x
7) Lanyard, Black with sport hook + safety buckle	657x

Available in the colors (x) : Black=0, Blue=1, White=2, Grey=3, Red=4, Yellow=5, Green=6, Dark blue=7, Light blue=8, Yellow neon=9.

Lanyard with your own design!

We are happy to help you with designing lanyards that match your graphic profile. Choose the mount that fits your card holders.



PRINTED LANYARDS WITH YOUR LOGO

Name	Art. No.
Lanyard, with your logo	6600
Original/Repro, price per hour	2000

Lead time 4-6 weeks



Prima 8



Prima 8 - for the highest print quality

Using retransfer printing technology the Prima 8 produces high-quality photo cards quickly in large volumes, comparable to offset litho printing.

FIPS 201 certified for the personalisation of US Government credentials, the Prima 8 provides a reliable, robust solution for instant issuance and lamination in a compact package. Using a retransfer printing process, images are first printed onto a thin film then heat transferred onto the card surface. This produces a high-resolution glossy image, printed right over the edge of the card.

A special dye sublimation Ultra Violet (UV) ribbon can be used with the Prima 8 for the printing of invisible photographs, logos, text or symbols when issuing high-security cards. The UV ink is not detectable to the naked eye, but is only visible with the use of a UV light source. This special YMCK-UV ribbon offers an affordable yet highly secure feature to decrease susceptibility to counterfeiting.

The MagiCard Prima 8 can be equipped with a range of card encoding devices to write secure electronic data to cards at the point of issuance. Smart card encoding options include contact chip, MIFARE®, DESFire® and iClass®. Specialist high-security encoders, such as EMV accredited devices, can also be fitted for the in-line personalisation of payment cards. The Prima 8 can also be supplied with a magnetic stripe encoder built-in.

PRIMA 4 PLASTIC CARD PRINTER

Name	Art. No.
Plastic card printer Prima 8 – Single sided	3760
Plastic card printer Prima 8 – Double sided	3761
Plastic card printer Prima 8 – Single sided with RFID encoder	3762
Plastic card printer Prima 8 – Double sided with RFID encoder	3765
Plastic card printer Prima 8 – Double sided with magstripe encoder	3763
Plastic card printer Prima 8 – Double sided with magstripe and RFID encoder	3764

ACCESSORIES

Name	Art. No.
Magstripe encoder HiCo / LoCo for Prima 4 and Prima 8	3753
Smart contactless encoder for Mifare, DESFire, iClass for Prima 4 and Prima 8	3754
Laminator – Single sided for Prima 4 and Prima 8	3751
Laminator – Double sided for Prima 4 and Prima 8	3752
Cleaning kit for Prima 4 and Prima 8	3093

Rio Pro 360



Rio Pro 360 - the professional choice for secure card printing

A world class ID printing solution delivering fast print speeds, high capacity and enhanced quality.

Advanced electronics and software platform provides enhanced performance. From the moment you hit print, the 360 instantly gets to work. Full-colour cards with HoloKote® print in under 20 seconds click-to-card.

The Rio Pro 360 offers a wide color spectrum, making the prints even more vibrant and colorful - which on an ID card means a truer representation of the subject. The Rio Pro 360 can print an anti-fraud customized watermark on every card. It enables the secure online deliver of up to ten bespoke HoloKote® watermarks.

RIO PRO PLASTIC CARD PRINTER

Name	Art. No.
Plastic card printer Rio Pro 360 – Single sided	3730
Plastic card printer Rio Pro 360 with magstripe encoder – Single sided	3731
Plastic card printer Rio Pro 360 – Double sided	3732
Plastic card printer Rio Pro 360 with magstripe encoder – Double sided	3733
Plastic card printer Rio Pro 360 with magstripe and RFID encoder – Double sided	3735

ACCESSORIES

Name	Art. No.
Cleaning kit for Enduro / Rio	3092

Enduro3E



Enduro 3E - the world's most reliable plastic card printer

The latest edition of the established Enduro+ card printing platform now includes Ethernet as standard and a 3 year warranty. When it comes to secure and reliable ID card printing, you can trust the Enduro3E to deliver.

Robust, durable and reliable, the Enduro3E ID card printer is perfect for schools, colleges and medium sized businesses that print up to 10,000 ID cards per year. Many tens of thousands of Enduro series printers have been commissioned since its inception in 2008 and millions of secure ID cards are printed throughout the World on this platform every year.

Now with USB and Ethernet interfaces as standard, the Enduro3E is easy to install and easy to use. Driver compatibility includes Windows 7, 8.1, 10 as well as Mac OS X. Batch print with the interchangeable 100-card feeder or print one-offs or rewritable cards with the hand-feed card slot. You can also enhance to double-sided printing with a simple drop in dye film upgrade.

The Enduro3E can be equipped with a range of card encoding devices to write secure electronic data to ID cards at the point of issuance. Smart card encoding options include contact chip, MIFARE®, DESFire® and iClass®. The Enduro3E can also be supplied with a magnetic stripe encoder built-in.

ENDURO3E PLASTIC CARD PRINTER

Name	Art. No.
Plastic card printer Enduro3E – Single sided	3720
Plastic card printer Enduro3E with magstripe encoder – Single sided	3721
Plastic card printer Enduro3E – Double sided	3722
Plastic card printer Enduro3E with magstripe encoder – Double sided	3723

ACCESSORIES

Name	Art. No.
Cleaning kit for Enduro /Rio	3092
Print head for Enduro3E	3725

Pronto100



Pronto100 - The smallest, fastest, best quality ID card printer in its class

A compact, versatile desktop ID card printer for lower volume issuance – ideal for membership clubs and small businesses. The Pronto100 offers the highest speed in the smallest package available today: Photo quality colour: 23 seconds (Standard), 18 seconds (High-Speed) /Monochrome: 4.7 seconds.

Lightweight but robust, the Magicard Pronto's small footprint makes it ideal for a reception desk or an office environment. Its portability and versatility comes with no compromise in print performance, making it ideal for remote ID card issuance at events or in the field.

Power it up, install its easy to use driver, drop the dye film in and you are ready to go. Combine it with one of our softwares and you have an instant solution that could have you printing ID cards in minutes.

Print vibrant full color cards or use thermally activated rewrite cards – and print, erase and rewrite in monochrome. Rewritable cards are ideal for visitor management or for loyalty card printing.

Save money on consumables by printing the reverse of the card in full color and rewriting the front surface up to 500 times.

PRONTO PLASTIC CARD PRINTER

Name	Art. No.
Plastic card printer Pronto100 – Single sided	3715

ACCESSORIES

Name	Art. No.
Cleaning kit for Pronto	3090

Ribbons and other accessories for the printers Prima 4 + 8, Rio Pro 360, Enduro3E and Pronto100

Do not hesitate to contact us if you do not find the accessory you are looking for!



RIBBONS AND LAMINATES

Ribbon	Printer	Pronto	Pronto100	Enduro+	Rio Pro 360	Prima 4	Prima 8
3020 Ribbon YMCKO (300 cards)		X		X	X		
3022 Ribbon YMCKOK (250 cards)				X	X		
3018 Ribbon Black with Overlay (600 cards)		X		X	X		
3010 Ribbon Black (1000 cards)		X		X	X		
3011 Ribbon Silver (1000 cards)		X		X	X		
3012 Ribbon Gold (1000 cards)		X		X	X		
3013 Ribbon White (1000 cards)		X		X	X		
3014 Ribbon Green (1000 cards)		X		X	X		
3015 Ribbon Blue (1000 cards)		X		X	X		
3016 Ribbon Red (1000 cards)		X		X	X		
3025 Ribbon YMCK + Retransfer film (1000 cards)						X	
3026 Ribbon YMCKK (750 cards)						X	
3027 Ribbon YMCK-UV (750 cards)						X	
3045 Ribbon YMCK + Retransfer film (1000 cards)							X
3320 Laminate 0,6mil (600 cards)						X	X
3321 Laminate for chip cards, 0,6mil (600 cards)						X	X
3322 Laminate for Re-Write cards (600 cards)						X	X
3046 Ribbon YMCKK (750 cards)							X
3029 Re-transfer film (1000 cards)						X	X
3021 Ribbon YMCKO (100 images)			X				

SERVICE & SUPPORT



Support agreement Visitor

Scope of the agreement

- Access to telephone support and inquiry service for trained staff, during office hours 8:00 am - 5:00pm.
- An update when a new version of the software is available
- Update of manuals

Other conditions

- The agreement does not include on-site service / support
- On-site support is charged per hour
- Travel time, travel expenses, accommodation and allowances are charged separately
- Response time for on-site support: work begins within 2 working days
- The annual fee is invoiced on an ongoing basis in advance

Maintenance agreement for plastic card printer

Preventive service includes:

- General inspection, cleaning and lubrication
- Control and adjustment of mechanics and electronics
- Checking print quality including basic calibration
- Measurement and control of magnetic coding

The maintenance agreement includes:

- Travel and allowances
- Free telephone support
- Priority appearance at emergency service
- 25% discount on all spare parts
- 20% discount of service in addition to the preventive service
- Extended warranty when signing a maintenance agreement in connection with the purchase of a new machine (24 months against the regular 12 months)

Service order

For additional ordering of service, please contact Seriline at +46 (0) 10-150 75 00 alternatively support@seriline.com

HDP5000



Versatility delivered. Complexity simplified

Superior print quality, higher reliability and durability, greater security – your PhotoID cards will have all these qualities when you print and encode them with the affordable and versatile HDP5000 ID card printer and encoder.

Colors are vibrant. Images are crisp. Quality is second to none. ID cards printed on FARGO HDP5000 Card Printer/Encoders do more than protect your organization — they reflect the value you place on your brand. HDP5000 produces ID cards with the highest image quality available. By printing a reverse image on the underside of HDP Film, then fusing the film to the card surface, the HDP5000 creates an image quality that looks more like a sharp glossy photo than an ordinary ID badge. Printing on film instead of directly on the card means that the uneven surface of technology cards don't compromise the image quality. The HDP5000 can print up to the edge of smart chip contacts, and over the edge of the card.

HDP5000

Name	Art. No.
Plastic card printer HDP5000 Base model	3830
Magstripe encoder for HDP5000	3831
Double sided unit (flipper)	3832
Laminator - Single sided	3840
Laminator - Double sided	3841
Mifare encoder	3834
Encoder iCLASS, Mifare/DESFire	3835

ACCESSORIES

Name	Art. No.
Ribbon YMCK (500 cards)	3110
Ribbon YMCKK (500 cards)	3111
Retransfer film (1500 cards)	3112
Laminate 1,0 mil (250 cards)	3125
Holographic Laminate 0,25mil - High Secure Orbit	3126
Cleaning kit	3116
Cleaning cards CR80 moisturized - sold in 10-pack	3089

HDP6600



Fast and feature-rich retransfer card printing solution

The FARGO HDP6600 from HID Global is ideal for organizations of any size that need retransfer printing technology to routinely issue secure and durable, high definition IDs or cards at high speeds. As a cost-effective, eco-friendly and reliable solution, the HDP6600 provides high resolution 600 dpi printing capability for superior text and image quality.

Designed to meet the needs of cost- and efficiency-conscious organizations, the HDP6600 produces cards at unprecedented speeds and leverages HID Global's innovative wasteless lamination technology helping cut your high-volume lamination materials costs by up to 40%.

HDP6600

Name	Art. No.
Plastic card printer HDP6600 - Double sided w. mifare/magstripe encoder and laminator	3875

ACCESSORIES

Name	Art. No.
Ribbon YMCK (750 cards)	3880
Ribbon YMCKK (600 cards)	3881
Retransfer film (1500 cards)	3885
Laminate 1,0 mil (10 000 cards)	3888
Cleaning kit	3889
Cleaning cards CR80 (Moisturized) - sold in 10-pack	3089

FARGO accessories for older models

Do not hesitate to contact us if you can't find what you are looking for!



DTC400

Name	Art. No.
Ribbon Black (K 1000 cards)	3030
Ribbon Black with Overlay (KO 500 cards)	3031
Ribbon Black with Overlay (BO 500 cards)	3032
Ribbon White (1000 cards)	3033
Ribbon Blue (1000 cards)	3034
Ribbon Red (1000 cards)	3036
Ribbon Green (1000 cards)	3035
Ribbon YMCKO (250 cards)	3040

C30

Name	Art. No.
Ribbon Black (K 1000 cards)	3070
Ribbon Black with Overlay (KO 500 cards)	3071
Ribbon Black with Overlay (BO 500 cards)	3072
Ribbon White (1000 cards)	3073
Ribbon Blue (1000 cards)	3074
Ribbon Red (1000 cards)	3076
Ribbon Green (1000 cards)	3075
Ribbon Gold (500 cards)	3077
Ribbon Silver (500 cards)	3078
Ribbon Premium Black (1000 cards)	3079
Ribbon YMCKO (250 cards)	3080
Ribbon YMCKOK (200 cards)	3081

Let us help you!

Feel free to contact our helpful customer service and they will take care of your case.

+46 (0) 10 - 150 75 00

id06@seriline.com

www.seriline.com/en/id06



ID06

We offer ID06 cards at the lowest price in the shortest time!



WORLD CLASS CUSTOMER SUPPORT

We are proud of our helpful customer support who has the industry's shortest response times. We are available in our office, by phone and email.



FAST DELIVERIES

We will send your order within 3 days after the order is approved by the cardholder. You can also order with fast delivery options.



PROTECT YOUR ID06 CARDS

Card accessories protect and facilitate the use of your ID06 card. We have a large selection of card holders and yoyos that you can add with clips, lanyards or other accessories.



READERS AND ENCODERS

Desktop readers and encoders

DESKTOP READER LECTIO

Desktop reader Lectio operate, among others, for the following access control systems; Aptus, Axema, RCO, Solid / Arx, Bewator and more. The reader is available in different designs.



Name	Art. No.
Desktop reader Lectio EM	7315
Desktop reader Lectio Mifare	7316
Desktop reader Lectio EM/Mifare	7319

Can be configured for RCO, Solid, APTUS, Bewator 16, Bewator 2010, Bewator Entro.

DESKTOP READER IMAGO

Desktop reader Imago is available in various designs and is easily connected to a computer via the associated USW cable.



Name	Art. No.
Desktop reader Imago EM	7310
Desktop reader Imago Mifare UID	7320
Desktop reader Imago Mifare Sektor	7325
Desktop reader Imago FSK	7330

PKI readers

PKI READER OMNIKEY 3121

Adjustable quality reader with a robust housing and USW interface.



Communication: USW 2.0 CCID (also USW 1.1)
Color: Two-tone gray
Dimensions: 80 x 67 x 28 mm
Cable length: 180 cm
Weight: 141 g

Name	Art. No.
PKI reader OMNIKEY 3121 USB	7345

PKI READER OMNIKEY 3021

A small and handy card reader with USW interface that does not compromise quality. Suitable for both desktop and mobile use.



Communication: USW 2.0 CCID (also USW 1.1)
Color: Transparent / silver
Dimensions: 74 x 64 x 13 mm
Cable length: 150 cm
Weight: 48 g

Name	Art. No.
PKI reader OMNIKEY 3021 USB	7346

Bar code and QR readers

BAR CODE READER HERON

Heron is a high-resolution and elegant bar code reader that is easy to use and comes with a stand. Optimal scanning distance varies from direct contact for approx. 60 cm from the bar code.



Name	Art. No.
Bar code reader Heron HD3130 USB	7640

BAR CODE READER 1D AND 2D, USW (DESKTOP MODEL) QR

This bar code reader registers all 1D and 2D bar codes with high speed and performance. With its neat design, the scanner is ideally placed at check-out points such as a reception.



Name	Art. No.
Bar code reader 1D and 2D, USW (Desktop model) QR	7650

WALL MOUNTED QR READERS

A wall mounted QR reader that is just as suitable in an outdoor environment as indoors.



Name	Art. No.
Wall mounted QR reader for indoors and outdoors	70161

Card readers

CARD READER CERTIO

Card reader Certio is a small and elegant card reader that has a reading distance of up to 9 cm for EM and 4 cm for Mifare. Also available in different designs.



Name	Art. No.
Card reader Certio EM without keypad	7305
Card reader Certio Mifare without keypad	7307
Card reader Certio Mifare without keypad with distance plate	7306
Distance plate for card reader Certio	7308

CARD READER CIDRON STANDARD

Cidron Standard is a reader operating at 13.56MHz and supports reading for instance iCLASS UID, MIFARE Classic®, MIFARE Plus® sector, MIFARE Random UID or MIFARE® DESFire® application which allow for AES128 encrypted communication between credential and reader. Cidron Standard VG3 is a Bluetooth LE (BLE) reader that can read 3 different customer formats simultaneously in a selectable mix of Mifare Classic, Mifare Plus or Mifare DESFire.



Name	Art. No.
Cidron Standard 13.56MHz with keypad, Matte Black	SC9100-MD-VDI27-S
Cidron Standard 13.56MHz with keypad, Matte White	SC9100-MD-VDI27-V
Cidron Standard 13.56MHz with keypad, Glossy Black	SC9100-MD-MP-S
Cidron Standard 13.56MHz with keypad, Glossy White	SC9100-MD-MP-V
Cidron Standard 13.56MHz without keypad, Matte Black	SC9110-MD-VDI27-S
Cidron Standard 13.56MHz without keypad, Matte White	SC9110-MD-VDI27-V
Cidron Standard 13.56MHz without keypad, Glossy Black	SC9110-MD-MP-S
Cidron Standard 13.56MHz without keypad, Glossy White	SC9110-MD-MP-V
Cidron Standard 13.56MHz/ BLE with keypad, Matte Black	SC93100-MDB-VDI27-S
Cidron Standard 13.56MHz/ BLE with keypad, Matte White	SC93100-MDB-VDI27-V
Cidron Standard 13.56MHz/ BLE with keypad, Glossy Black	SC93100-MDB-MP-S
Cidron Standard 13.56MHz/ BLE with keypad, Glossy White	SC93100-MDB-MP-V
Cidron Standard 13.56MHz/ BLE without keypad, Matte Black	SC93110-MDB-VDI27-S
Cidron Standard 13.56MHz/ BLE without keypad, Matte White	SC93110-MDB-VDI27-V
Cidron Standard 13.56MHz/ BLE without keypad, Glossy Black	SC93110-MDB-MP-S
Cidron Standard 13.56MHz/ BLE without keypad, Glossy White	SC93110-MDB-MP-V

CARD READER CIDRON SLIMLINE

Cidron VG2 Slimline is a reader operating at 13.56MHz and supports reading for instance MIFARE Classic®, or MIFARE Plus® sector, MIFARE® DESFire® application which allow for AES128 encrypted communication between credential and reader. Cidron Slimline VG3 is a Bluetooth LE (BLE) reader that can read 3 different customer formats simultaneously in a selectable mix of Mifare Classic, Mifare Plus or Mifare DESFire.



Name	Art. No.
Cidron Slimline 13.56MHz with keypad, Matte Black	SC9200-MD-VDI27-S
Cidron Slimline 13.56MHz with keypad, Matte White	SC9200-MD-VDI27-V
Cidron Slimline 13.56MHz with keypad, Glossy Black	SC9200-MD-MP-S
Cidron Slimline 13.56MHz with keypad, Glossy White	SC9200-MD-MP-V
Cidron Slimline 13.56MHz without keypad, Matte Black	SC9210-MD-VDI27-S
Cidron Slimline 13.56MHz without keypad, Matte White	SC9210-MD-VDI27-V
Cidron Slimline 13.56MHz without keypad, Glossy Black	SC9210-MD-MP-S
Cidron Slimline 13.56MHz without keypad, Glossy White	SC9210-MD-MP-V
Cidron Slimline 13.56MHz/ BLE with keypad, Matte Black	SC93200-MDB-VDI27-S
Cidron Slimline 13.56MHz/ BLE with keypad, Matte White	SC93200-MDB-VDI27-V
Cidron Slimline 13.56MHz/ BLE with keypad, Glossy Black	SC93200-MDB-MP-S
Cidron Slimline 13.56MHz/ BLE with keypad, Glossy White	SC93200-MDB-MP-V
Cidron Slimline 13.56MHz/ BLE without keypad, Matte Black	SC93210-MDB-VDI27-S
Cidron Slimline 13.56MHz/ BLE without keypad, Matte White	SC93210-MDB-VDI27-V
Cidron Slimline 13.56MHz/ BLE without keypad, Glossy Black	SC93210-MDB-MP-S
Cidron Slimline 13.56MHz/ BLE without keypad, Glossy White	SC93210-MDB-MP-V
Cidron Slimline 13.56MHz/ BLE without keypad, Glossy Black	SC93210-MDB-MP-S
Cidron Slimline 13.56MHz/ BLE without keypad, Glossy White	SC93210-MDB-MP-V

CARD READER CIDRON COMBI

Cidron VG2 Combi is a reader operating at both 125kHz and 13.56MHz, making it ideal for use where several card populations with different RFID-technologies and/ or frequencies should be used at the same time. Cidron Combi VG3 is a Bluetooth LE (BLE) reader that can read 3 different customer formats simultaneously in a selectable mix of Mifare Classic, Mifare Plus or Mifare DESFire.



Name	Art. No.
Cidron Combi 13.56MHz/125kHz with keypad, Matte Black	SC9100-MDE-VDI27-S
Cidron Combi 13.56MHz/125kHz with keypad, Matte White	SC9100-MDE-VDI27-V
Cidron Combi 13.56MHz/125kHz with keypad, Glossy Black	SC9100-MDE-MP-S
Cidron Combi 13.56MHz/125kHz with keypad, Glossy White	SC9100-MDE-MP-V
Cidron Combi 13.56MHz/125kHz without keypad, Matte Black	SC9110-MDE-VDI27-S
Cidron Combi 13.56MHz/125kHz without keypad, Matte White	SC9110-MDE-VDI27-V
Cidron Combi 13.56MHz/125kHz without keypad, Glossy Black	SC9110-MDE-MP-S
Cidron Combi 13.56MHz/125kHz without keypad, Glossy White	SC9110-MDE-MP-V
Cidron Combi 13.56MHz/125kHz/ BLE with keypad, Matte Black	SC93100-MDEB-VDI27-S
Cidron Combi 13.56MHz/125kHz/ BLE with keypad, Matte White	SC93100-MDEB-VDI27-V
Cidron Combi 13.56MHz/125kHz/ BLE with keypad, Glossy Black	SC93100-MDEB-MP-S
Cidron Combi 13.56MHz/125kHz/ BLE with keypad, Glossy White	SC93100-MDEB-MP-V
Cidron Combi 13.56MHz/125kHz/ BLE without keypad, Matte Black	SC93110-MDEB-VDI27-S
Cidron Combi 13.56MHz/125kHz/ BLE without keypad, Matte White	SC93110-MDEB-VDI27-V
Cidron Combi 13.56MHz/125kHz/ BLE without keypad, Glossy Black	SC93110-MDEB-MP-S
Cidron Combi 13.56MHz/125kHz/ BLE without keypad, Glossy White	SC93110-MDEB-MP-V

Accessories for Cidron card reader

QR READER FOR CIDRON

The QR and barcode reader module is an add-on in a Black 33 degree frame, where the QR code reader is pointing downwards to simplify a smooth reading of the QR code.



This together with a VG3 reader module makes this QR code reader one of the most powerful and flexible QR code readers on the market.

Name	Art. No.
Cidron 33 degree spacer with QR code module	SC9192-SQ
Slimline 33 degree spacer with QR code module	SC9292-SQ

DISTANCE PLATE

A distance plate enables smooth and flexible installations. When a reader is to be installed in an environment where additional cover is needed, for example to hide old installation holes or to cover an uneven surface, our recommendation is to use a distance plate.

Distance plate for Cidron Standard and Combi readers. Size Standard.
Dimensions: L 82mm. H 112mm. W 10mm.

Distance plate for Cidron Standard and Combi readers. Size Large.
Dimensions: L 133mm. H 159mm. W 11mm.

Distance plate for Cidron Slimline and Slimline E readers. Size Standard.
Dimensions: L 50mm. H 143mm. W 10mm.

Distance plate for Cidron Slimline and Slimline E readers. Size Large.
Dimensions: L 104mm. H 190mm. W 11mm.



Size Standard



Size Large

Name	Art. No.
Distance plate for Cidron Standard/Combi readers, Black - Size Standard	SC9191-S
Distance plate for Cidron Standard/Combi readers, White - Size Standard	SC9191-V
Distance plate for Cidron Standard/Combi readers, Black - Size Large	SC9197-S
Distance plate for Cidron Standard/Combi readers, Black - Size Large	SC9197-V
Distance plate for Cidron Slimline/Slimline E readers, Black - Size Standard	SC9291-S
Distance plate for Cidron Slimline/Slimline E readers, White - Size Standard	SC9291-V
Distance plate for Cidron Slimline/Slimline E readers, Black - Size Large	SC9297-S
Distance plate for Cidron Slimline/Slimline E readers, White - Size Large	SC9297-V

ANGLED DISTANCE PLATE

An angled distance plate increases accessibility and is recommended for installations at, for example, hospitals and local authorities to comply with the Equality Act.



Name	Art. No.
Angled distance plate for Cidron Standard/Combi reader, Black - 33°	SC9192-S
Angled distance plate for Cidron Standard/Combi reader, White - 33°	SC9192-V
Angled distance plate for Cidron Standard/Combi reader, Black - 10°	SC9193-S
Angled distance plate for Cidron Standard/Combi reader, White - 10°	SC9193-V
Angled distance plate for Cidron Standard/Combi reader, Black - 33°	SC9292-S
Angled distance plate for Cidron Standard/Combi reader, White - 33°	SC9292-V
Angled distance plate for Cidron Standard/Combi reader, Black - 10°	SC9293-S
Angled distance plate for Cidron Standard/Combi reader, White - 10°	SC9293-V

VANDALIZATION PROTECTION

The Cidron reader vandalization protection is an accessory that shields the reader and helps it withstand tampering by absorbing and redirecting external forces away from the reader. The sloping sides of the vandalization protection also make it harder to climb on the reader.



Cidron Standard Dimensions: 120x147x31 mm

Cidron Slimline Dimensions: 91x178x31 mm

Name	Art. No.
Vandalization protection Standard/Combi, Matte Black	SC9180-S
Vandalization protection Slimline/Slimline E, Matte Black	SC9280-S

CLIMATE PROTECTION

Even though the reader is robust in its basic design, an extra layer of weather protection might be needed in certain environments. The shield protects the reader from snow, rain and sunlight and comes in two different colors, transparent and White, for different applications.



Name	Art. No.
Climate protection, Transparent	SC9901-T
Climate protection, White	SC9901-V

DISTANCE PLATE

To ensure the full operation of the sabotage switch in the Cidron reader, the distance plate should be mounted behind the Cidron card reader's spacer plate on uneven wall installations.



Name	Art. No.
Spacer plate for Slimline/Slimline E	SC9916
Spacer plate for Standard/Combi	SC9915

INSTALLATION TOOL

Cidron installation tool is designed to open the card reader in a safe way. The custom-made shape makes it easy to insert the tool into the locking part to free the frame for service and maintenance work.



Sold in 10-pack

Name	Art. No.
Installation tool	SC9914

TAMPER SWITCH BRACKET

Cidron's tamper switch bracket should be used to ensure that the tamper switch is closed and works when a card reader is mounted over a blank installation box.

Sold in 10-pack



Name	Art. No.
Tamper switch bracket	SC189-RF

TERMS

Terms of payment

30 days net after completed credit check.
VAT and shipping will be added.

Terms of delivery

Ex Works / EXW, Seriline's warehouse, Stockholm.

Warranty and liability*

Seriline is obliged to remedy any defects due to defects in materials or production through a replacement. The warranty period for RFID products and accessories is 3 months, for hardware 12 months and for Cidron card readers 24 months. Seriline's liability to the customer only applies to material and manufacturing defects in the products.

In relation to the customer, Seriline shall in no case be liable for costs, losses, loss of income or other so-called indirect damages that may be caused by delayed, incorrect or non-delivery of the products.

GDPR

If you have not signed a personal data assistant agreement, contact us to get the information you need. For questions about your information or our handling of it, contact us at info@seriline.com or +46 (0) 10-150 75 00.

Quotation validity period

30 days from quote date.

Returns

Returns of goods must be made in the original packaging within 10 days. The customer pays the shipping cost for the return shipment. When returning a Cidron card reader, a return deduction of 20% of the reader's price for production and administration will be made.

Complaints

Complaints of incorrect delivery or defective goods must be made within 10 days from the date of arrival. Contact Seriline for more information on how to proceed.

Reservation

We reserve the right to any errors in the catalog and discontinued articles.

We look forward to a future collaboration!

If you have any questions, we welcome you to contact us!

Email: info@seriline.com

Tel: +46 (0) 10-150 75 00

* In order for given guarantees and service agreements to apply, the customer must purchase all accessories such as ribbon, laminate and plastic cards from Seriline AB. This is because there are products on the market that do not maintain the required quality and can therefore negatively affect sensitive parts of the printer, such as print and coding heads. The guarantee applies to materials and manufacturing defects. The warranty does not cover wear and tear or if the product is damaged in connection with its use in any other way than it is intended for.



seriline

IDENTITY AND ACCESS MANAGEMENT



SL ver. 21-08